JOURNAL OF CLINICAL PATHOLOGY

Index to Volume XVII

Index to Volume XVII

Page numbers preceded by '(P)' refer to the summaries of papers read at the General Meetings of the Association of Clinical Pathologists

ABO blood groups of carcinoma of oesophagus and of benign prostatic hyperplasia, **42**
Achromobacter anitratum, Mima polymorpha and, **513**
Acid-base disturbances in hypercalcaemia (P), **476**
Actinobacillus, bacterial endocarditis due to, **511**
ADAMS, J. F.: The urinary excretion and tissue retention of cyanocobalamin by subjects given repeated parenteral doses, **31**
Adenine in red cell preservation (P), **200**
Agar gel electropherograms, preservation of, **195**
— medium, blood, for *Streptococcus pyogenes* and other haemolytic streptococci, **231**
Age, effect of, on normal values of Westergren sedimentation rate, **292**
AIKAT, B. K. *See* PANJA, B. K., SENGUPTA, K. P., and AIKAT, B. K.
AKILAS, A. *See* YATZIDIS, H., GARIDI, M., VASSILIKOS, C., MAYOPOULOU, D., and AKILAS, A.
Alanine transaminase levels, serum, in workers exposed to lead, **149**
ALDER, V. G.: The dry sterilization of heat-labile materials by low-temperature steam and formaldehyde gas (P), **198**
Alkaline phosphatase, procedure for determination of, **301**
ε-Amino caproic acid, urokinase and (P), **476**
α-Amino nitrogen in plasma and urine, estimation of, by colorimetric ninhydrin reaction, **150**
Ampicillin *in vitro*, activity of, compared with other antibiotics, **461**
Amyloid, histological study of hyaline deposits in laryngeal, aural, and nasal polyps and their differentiation from, **213**
Anaemia, haemolytic, hereditary, biochemical basis of (P), **198**
—, —, serum gamma globulin abnormalities in reticuloses with particular reference to (P), **200**
—, megaloblastic, enzymes in (P), **201**
—, —, estimation of labile component of serum folic acid and its value in diagnosis of (P), **196**
—, —, folic acid and vitamin B_{12} levels in pregnancy and their relation to, **165**
—, —, leucocytes and leucopoiesis in (P), **196**
Anaemic blood, phagocytosis in, **185**
ANAGNOSTOU, E. *See* MERICAS, G., ANAGNOSTOU, E., HADZIYANNIS, S., and KAKARI, S.
ANDERSON, B. B.: Investigations into the *Euglena* method for the assay of the vitamin B_{12} in serum, **14**
ANDREWS, M. I. J. *See* LEWIS, P. J. W., MACTAGGART, M., and ANDREWS, M. I. J.
Aneurysms, dissecting, histology of aortic media in, **220**
Antibiotic sensitivity of *Proteus* species, **69**
— — testing, sources of error in (P), **474**
Antibiotics, activity of ampicillin *in vitro* compared with other, **461**
Antibodies reacting with capsular antigens of *Haemophilus influenzae*, measurement of, **294**
—, staphylococcal, detection of, by gel diffusion, **517**
Anticoagulant therapy, control of: postal comparison between five centres, **531**
Antigen, complement-fixing, preparation of, for use in diagnosis of Eaton pneumonia, **458**
—, prostate, auto-immunity to, in rheumatic disease, **264**
Antigens, capsular, of *Haemophilus influenzae*, measurement of antibodies reacting with, **294**
Antiseptics against subcutaneously deposited bacteria in mice, technique for comparing efficiency of, **504**
Aortic intima, neoplasia of, **602**
— media in dissecting aneurysms, histology of, **220**
ARDEMAN, S. *See* BENNETT, M. C., BERRY, V., CHANARIN, I., and ARDEMAN, S.
Arginine dihydrolase system, *Pseudomonas pyocyanea* and, **122**
Aspartate and alanine transaminase levels, serum, in workers exposed to lead, **149**
Aspergillus terreus, subcutaneous infection due to, **251**
Association of Clinical Pathologists: Broadsheets, **74**, **113**, **291**, **460**, **547**, **684**
— — — — : 71st General Meeting, **196**
— — — —: 72nd General Meeting, **471**
— — — —: Papers read at Meeting in Sept 1963, **407**
Asthmatics, cytodiagnosis of sputum of, **84**
Aural cavities, post-operative, fungal infections of (P), **475**
— polyps, histological study of hyaline deposits in, and their differentiation from amyloid, **213**
AutoAnalyser, estimation of hydroxyproline by, **685**
—, micro-method for estimation of calcium by, **687**
Auto-immunity to prostate antigen in rheumatic disease, **264**
AVES, E. K. *See* BITENSKY, L., SILCOX, A. A., and AVES, E. K.

BAAR, S., and BICKEL, H.: Oligosaccharides in infants' faeces, **273**
Bacteria, subcutaneously deposited, in mice, technique for comparing efficiency of antiseptics against, **504**
Bacterial endocarditis due to actinobacillus, **511**
Bacteriological complications from use of urethral instruments (P), **472**
— — — — — — —: principles of prevention, **492**
— diagnosis, use of computer for (P), **197**
Bacterium anitratum, Mima polymorpha and, **513**
Bacteriuria, significant, method for detection of, in large groups of patients, **498**
BAIKIE, A. G. *See* GILLIS, E. M., and BAIKIE, A. G.
BALL, F. W.: Estimation of the labile component of the serum folic acid and its value in the diagnosis of megaloblastic anaemia (P), **196**
—, and GILES, C.: Folic acid and vitamin B_{12} levels in pregnancy and their relation to megaloblastic anaemia, **165**
BANCROFT, J. D. *See* MCALPINE, J. C., and BANCROFT, J. D.
BARBER, M., and WATERWORTH, P. M.: Antibiotic sensitivity of *Proteus* species, **69**
BARNETT, H.: The staining of lactic dehydrogenase isoenzymes after electrophoretic separation on cellulose acetate, **567**
—, and GIBSON, A.: Lactate dehydrogenase (L.D.H.) isoenzyme patterns in carcinomas of the breast (P), **201**
BARON, D. N. *See* MATTHEWS, D. M., MUIR, G. G., and BARON, D. N.
BEALE, R. N., and CROFT, D.: The microdetermination of biological copper with oxalyldihydrazide, **260**
BEASLEY, W. H.: The ABO blood groups of carcinoma of the oesophagus and of benign prostatic hyperplasia, **42**
BELL, J. L., and COLLIER, M.: A shortened automated procedure for the determination of alkaline phosphatase, **301**
—, and WILLIAMS, R.: The value of Jirgl's flocculation test in the diagnosis of jaundice, **47**
BENNETT, M. C., BERRY, V., CHANARIN, I., and ARDEMAN, S.: The assay of folic-acid activity of liver, **27**
BERRY, V. *See* BENNETT, M. C., BERRY, V., CHANARIN, I., and ARDEMAN, S.
—, *See also* CHANARIN, I., and BERRY, V.
BEVAN, B. R., and HOLTON, J. B.: A galactosaemic infant with a possible new inborn error of metabolism (P), **471**
Bicarbonate, standard, measurement of, on samples of capillary blood, **564**
BICKEL, H. *See* BAAR, S., and BICKEL, H.
Bile acid levels, serum, in hypercholesterolaemic patients, **156**
Bilirubin metabolism, disorders of (P), **473**
Biochemical basis of hereditary haemolytic anaemia (P), **198**
— investigation of histidinaemia, **671**
BITENSKY, L.: Histochemical evidence of liver disease (P), **474**
—, SILCOX, A. A., and AVES, E. K.: Routine frozen section technique by the cryostat (P), **198**
BLACK, T. *See* SUMMERS, M. M., LYNCH, P. F., and BLACK, T.
Bleeding defect in thrombocytopenia, Naphthionin in management of, **680**
Blood agar medium for *Streptococcus pyogenes* and other haemolytic streptococci, **231**
—, capillary, measurement of *p*H, PCO_2, and standard bicarbonate on samples of, **564**
— cells, method for demonstration of nucleoli in, **573**
— glucose, true, method for determination of (P), **202**
— groups, ABO, of carcinoma of oesophagus and of benign prostatic hyperplasia, **42**
— — and diabetes mellitus, **39**
—, normal and anaemic, phagocytosis in, **185**
—, uranin in, estimation of, **271**
— urea, method for use of water melon seed preparations in estimation of, **97**
—, whole, rapid adhesive platelet count in, **45**
BODIAN, M., and WILKINSON, A. W.: Congenital malignant neurilemmoma, **130**
Bone marrow *See* Marrow
Book Received, **580**
Book Reviews:
Agress, C. M., and Estrin, H. M.: *The Biochemical Diagnosis of Heart Disease*, 1963, **693**
Association of Clinical Pathologists and Association of Clinical Biochemists: *Bone Metabolism in Relation to Clinical Medicine*, 1963, **579**
Baker, F. J., ed.: *Progress in Medical Laboratory Technique*, *2*, 1963, **580**
Beickert, A.: *Das Lupus Erythematodes-Phänomen und die Anti-nukleären Faktoren*, 1963, **103**
Bothwell, T. H., and Finch, C. A.: *Iron Metabolism*, 1962, **203**
British Postgraduate Medical Federation: *The Scientific Basis of Medicine: Annual Review*, 1963, **578**
Burstone, M. S.: *Enzyme Histochemistry*, 1962, **577**
Cameron, Sir R., and Hou, P. C.: *Biliary Cirrhosis*, 1962, **102**
Ciba Foundation Study Group No. 14: *Intestinal Biopsy*, 1962, **102**
— — — — No. 15: *The Pathogenesis of Leprosy*, 1963, **580**
Crispell, K. R., ed.: *Current Concepts in Hypothyroidism*, 1963, **578**

Cruickshank, R., ed.: *Modern Trends in Immunology, I*, 1963, **692**
Cumley, R. W., *et al.*, eds.: *Viruses, Nucleic Acids and Cancer*, 1963, **692**
Curry, A. S.: *Poison Detection in Human Organs*, 1963, **204**
Darmady, E. M., and Davenport, S. G. T.: *Haematological Technique for Medical Laboratory Technicians and Medical Students*, 3rd ed. (1963), **694**
Davis, H. A.: *Blood Volume Dynamics*, 1962, **304**
Eastham, R. D.: *Biochemical Values in Clinical Medicine*, 2nd ed., 1963, **693**
Engley, F. B.: *Pocket Reference Guide to Medical Microbiology*, 1963, **693**
Escamilla, R., ed.: *Laboratory Tests in Diagnosis and Investigation of Endocrine Functions*, 1962, **204**
Gray, C. H.: *Clinical Chemical Pathology*, 3rd ed., 1963, **580**
Gresham, G. A., and Jennings, A. R.: *An Introduction to Comparative Pathology*, 1962, **303**
Holt, K. S., and Milner, J., eds.: *Neurometabolic Disorders in Childhood*, 1963, **693**
Hull, T. G., ed.: *Diseases Transmitted from Animals to Man*, 1963, **578**
Humphrey, J. H., and White, R. G.: *Immunology for Students of Medicine*, 1963, **577**
Jackson, B. B.: *Occlusion of the Superior Mesenteric Artery*, 1963, **580**
Marsh, W. W.: *Automation in Clinical Chemistry*, 1963, **580**
Nuffield Provincial Hospitals Trust: *Central Sterile Supply*, 1963, **203**
Peeters, H., ed.: *Protides of the Biological Fluids* (10th Colloquium, Bruges), 1963, **577**
Rezek, P. R., and Millard, M.: *Autopsy Pathology*, 1963, **203**
Rhodes, A. J., and von Rooyen, C. E.: *Textbook of Virology*, 4th ed., 1962, **104**
Russell, D. S., and Rubinstein, L. J.: *Pathology of Tumours of the Nervous System*, 2nd ed., 1963, **693**
Searcy, R. L., and Bergquist, L. M.: *Lipoprotein Chemistry in Health and Disease*, 1962, **103**
Stacey, M., and Barker, S. A.: *Carbohydrates of Living Tissues*, 1962, **103**
Stewart, J. R., Kincaid, O. W., and Edwards, J. E.: *An Atlas of Vascular Rings and Related Malformations of the Aortic Arch System*, 1963, **579**
Torrance, D. J.: *The Chest Film in Massive Pulmonary Embolism*, 1963, **694**
Tumours of the Skin (Papers Presented at the 7th Annual Clinical Conference on Cancer, Houston, Texas, 1962), 1964, **694**
Varley, H.: *Practical Clinical Biochemistry*, 3rd ed., 1962, **304**
W.H.O., and I.A.E.A.: *Diagnosis and Treatment of Radioactive Poisoning*, 1962, **579**
Williams, R. E. O., and Shooter, R. A., eds.: *Infection in Hospitals. Epidemiology and Control*, 1963, **578**
Willis, R. A.: *The Pathology of the Tumours of Children*, 1962, **102**
Breast, carcinomas of, lactate dehydrogenase isoenzyme patterns in (P), **201**
BRIDGES, J. W. *See* WILLIAMS, R. T., and BRIDGES, J. W.
British Committee for Standards in Haematology, **303**
BRODIE, J., and HENDERSON, A.: Further observations on *Mima polymorpha* and *Achromobacter* (*Bacterium*) *anitratum*, **513**
Bronchial secretions, tetracycline levels in (P), **475**
BRUCE, A., **351**
BRUCE, S.: The effect of calcium on fibrinolysis *in vitro*, **282**
BRUMFITT, W.: Pathogenesis of pyelonephritis (P), **473**
—, and PERCIVAL, A.: Pathogenesis and laboratory diagnosis of non-tuberculous urinary tract infection: a review, **482**
BRUNSTRÖM, G. M. *See* FIELDING, J., and BRUNSTRÖM, G. M.
BUCHANAN, K. D., KINLOCH, J. D., HUTCHISON, H. E., PINKERTON, P. H., and CASSIDY, P.: Thalassaemia in Scots (P), **199**
BUTTERWORTH, S. T. G.: A micromethod for estimating osmotic fragility of erythrocytes, **96**

CAEN, J. P. *See* VAINER, H., and CAEN, J. P.
Calcium, effect of, on fibrinolysis *in vitro*, **282**
— metabolism in gastrectomized patient (P), **202**
—, micro-method for estimation of, by AutoAnalyser, **687**
CAMERON, E. *See* CAMPBELL, A., CAMERON, E., and MOLLISON, A.
CAMPBELL, A., CAMERON, E., and MOLLISON, A.: Seromucoid, ground substance, and hypothyroidism, **655**
CAMPBELL, M. J.: Tetracycline levels in bronchial secretions (P), **475**
Capillary blood, measurement of *p*H, PCO_2, and standard bicarbonate on samples of, **564**
Capsular antigens of *Haemophilus influenzae*, measurement of antibodies reacting with, **294**
Carbon dioxide incubators, control system for, **100**
Carcinoma of breast, lactate dehydrogenase isoenzyme patterns in (P), **201**
— of oesophagus, ABO blood groups of, **42**
— of thyroid in myxoedema (P), **197**
— — — — —, **438**
Carcinomatous metastasis to vertebral bodies, **448**
CARSON, N. A. J. *See* GIBSON, J. B., CARSON, N. A. J., and NEILL, D. W.
CASSIDY, P. *See* BUCHANAN, K. D., KINLOCH, J. D., HUTCHISON, H. E., PINKERTON, P. H., and CASSIDY, P.
Catecholamines, urinary excretion of metabolites of, in normal individuals and hypertensive patients, **64**
Cellulose acetate, staining of lactic dehydrogenase isoenzymes after electrophoretic separation on, **567**
Central nervous system, fibrin and thrombosis in, in children with particular reference to congenital hydrocephalus, **348**
— — —, tumours of, in children, **418**
Cerebrospinal fluid, 'native', analysis of, by polyacrylamide disc electrophoresis technique, **143**
— —, plasminogen in, method for detecting and estimating, **313**
CHAKRABARTI, R. *See* FEARNLEY, G. R., and CHAKRABARTI, R.
CHANARIN, I., and BERRY, V.: Estimation of serum *L. casei* activity, **111**
—, and ROTHMAN, D.: Folic acid studies in pregnancy (P), **196**
—. *See also* BENNETT, M. C., BERRY, V., CHANARIN, I., and ARDEMAN, S.
CHAN-TEOH, C. H. *See* WONG, P. C., and CHAN-TEOH, C. H.
CHARLES, D.: Iatrogenic endometrial patterns, **205**
CHEETHAM, H. D.: Subcutaneous infection due to *Aspergillus terreus*, **251**
Chemical tests for phaeochromocytoma, **399**
Chemodectoma type of retroperitoneal tumour, **444**
Chest infections, identification and clinical significance of Klebsiella species in, **617**
Children, fibrin and thrombosis in central nervous system in, with particular reference to congenital hydrocephalus, **348**
—, pathology of tumours in, **407**
Chorionic gonadotrophin, immunochemical test for, **548**
Chromatography, thin-layer, apparatus for, **469**
Chromosome studies in acute leukaemia (P), **475**
CLARK, C. G. *See* MITCHELL, P. E. G., CROOKS, J., CLARK, C. G., and DAWSON, A. A.
Clot lysis, method for assessing, **310**
— method, standard, for assay of plasminogen activators, anti-activators, and plasmin, **175**
Clots, fibrin, instrument for recording lysis time of, **194**
CO_2 incubators, control system for, **100**
Coagulation and fibrinolysis in injured patients, **1**
— — —, ultrasonic measurement of, **320**
Coconut, contaminated desiccated, method of isolating salmonellae from, **75**
College of Pathologists: Membership and Examinations, **304**
— — —; Membership without Examination, **104**
COLLIER, M. *See* BELL, J. L., and COLLIER, M.
Colorimetric determination of urea with Ehrlich's reagent, method for, **163**
— ninhydrin reaction, estimation of α-amino nitrogen in plasma and urine by, **150**
Complement-fixing antigen, preparation of, for use in diagnosis of Eaton pneumonia, **458**
Computer, use of, for bacteriological diagnosis (P), **197**
Copper, biological, microdetermination of, with oxalyldihydrazide, **260**
Coronary thrombosis, fibrinolytic therapy of, **336**
Corrections, **467**, **580**
Counting chamber, disposable, for urinary cytology, **571**
COX, M. T.: Malignant lymphoma of the thyroid, **591**
Creatine phosphokinase, serum levels of, **56**
Creatinine, tests of renal function using, **557**
CROFT, D. *See* BEALE, R. N., and CROFT, D.
Crohn's disease, gastro-duodenal, **90**
CROME, L., **351**
CROOKS, J. *See* MITCHELL, P. E. G., CROOKS, J., CLARK, C. G., and DAWSON, A. A.
CROSBIE, R. B., **335**, **346**, **368**, **370**
Cryostat, frozen section technique by (P), **198**
Cultural method, comparison of fluorescent antibody technique with, in detection of infections with *Shigella sonnei*, **225**
CUNNINGHAM, V. R.: Analysis of 'native' cerebrospinal fluid by the polyacrylamide disc electrophoresis technique, **143**
Cyanocobalamin, urinary excretion and tissue retention of, by subjects given repeated parenteral doses, **31**
Cytology, exfoliative, fluorescence microscopy applied to (P), **197**
—, urinary, disposable counting chamber for, **571**

DACIE, J. V.: Biochemical basis of hereditary haemolytic anaemia (P), **198**
DARMADY, E. M.: The changing pattern of pathology, **477**
—, DREWETT, S. E., and HUGHES, K. E. A.: Survey on prevacuum high-pressure steam sterilizers, **126**
DARRELL, J. H., and HURDLE, A. D. F.: Identification and clinical significance of Klebsiella species in chest infections, **617**
—, and WAHBA, A. H.: Pyocine-typing of hospital strains of *Pseudomonas pyocyanea*, **236**
DAVIDSON, E., and TOMLIN, S.: 'Thrombocytopenic serum': an artificial factor VIII-deficient reagent, **188**
DAVIDSON, R. J. L.: Exertional haemoglobinuria: a report on three cases with studies on the haemolytic mechanism, **536**
DAVIDSON, W. M., **337**, **347**
DAVIS, R. E., and NICOL, D. J.: A new system for rapid haemoglobin estimations and leucocyte counts, **467**
DAWSON, A. A. *See* MITCHELL, P. E. G., CROOKS, J., CLARK, C. G., and DAWSON, A. A.
DECROIX, G. *See* PEETERS, H., STEENHOUDT, G., and DECROIX, G.
DELVES, D. M. *See* MAY, J. R., and DELVES, D. M.

Deoxyribonucleic acid and ribonucleic acid content of human tissues obtained at necropsy, **554**
Desferrioxamine in urine, estimation of, **395**
DEWAR, H. A.: Fibrinolytic therapy of coronary thrombosis, **336**
Dextran sulphate, large molecular weight, estimation of low-density (beta) lipoproteins of serum in health and disease using, **627**
Diabetes mellitus, blood groups and, **39**
Diffusion method, vertical, for microbiological assay of isoniazid, **622**
Dissecting aneurysms, histology of aortic media in, **220**
DOUGLAS, A. S. *See* MCNICOL, G. P., and DOUGLAS, A. S.
DREWETT, S. E. *See* DARMADY, E. M., DREWETT, S. E., and HUGHES, K. E. A.
DRURY, R. A. B., PALMER, P. H., and HIGHMAN, W. J.: Carcinomatous metastasis to the vertebral bodies, **448**
DYBOWSKI, W., FRANKLIN, D. A., and PAYNE, L. C.: The use of a computer for bacteriological diagnosis: a preliminary report (P), **197**

EASTHAM, R. D.: Rapid adhesive platelet count in whole blood, **45**
Eaton pneumonia, preparation of complement-fixing antigen for use in diagnosis of, **458**
ECKSTEIN, Mr., **368**
EDWARD, N., YOUNG, D. P.-G., and MACLEOD, M.: Fibrinolytic activity in plasma and urine in chronic renal disease, **365**
EDWARDS, K. D. G. *See* HEALY, J. K., EDWARDS, K. D. G., and WHYTE, H. M.
Ehrlich's reagent, method for colorimetric determination of urea with, **163**
Electropherograms, agar-gel, preservation of, **195**
Electrophoresis technique, polyacrylamide disc, analysis of 'native' cerebrospinal fluid by, **143**
Electrophoretic separation on cellulose acetate, staining of lactic dehydrogenase isoenzymes after, **567**
EMERSON, P. M., WILKINSON, J. H., and WITHYCOMBE, W. A.: Enzymes in megaloblastic anaemia (P), **201**
EMERY, J. L., **323**, **332**
—: Fibrin and thrombosis in the central nervous system in children with particular reference to congenital hydrocephalus, **348**
Endocarditis, bacterial, due to actinobacillus, **511**
Endometrial patterns, iatrogenic, **205**
Endothelioma, intravascular (endothelioma *in situ*, systemic endotheliomatosis), **608**
ENGLISH, M. P.: Fungal infections of post-operative aural cavities (P), **475**
Enterobacteria, β-galactosidase and lactose fermentation in identification of, **117**
Enzyme deficiencies, effect of, on red cell metabolism (P), **199**
Enzymes in megaloblastic anaemia (P), **201**
Erythrocytes, foetal, technique of demonstration of, and applications (P), **476**
—, micromethod for estimating osmotic fragility of, **96**
Euglena method for assay of vitamin B_{12} in serum, **14**
EVANS, D. I. K. *See* WHITMORE, D. N., and EVANS, D. I. K.
EVANS, I. L.: Changes in fibrinolytic activity during surgical procedures, **369**
—. *See also* THOMSON, W. B., GREEN, J., and EVANS, I. L.
Ewing's tumours and neuroblastomas, **411**
Exertional haemoglobinuria: report on 3 cases with studies on haemolytic mechanism, **536**
Exfoliative cytology, fluorescence microscopy applied to (P), **197**
Eye, anterior chamber of, use of urokinase in, **362**

Factor VIII-deficient reagent, artificial ('thrombocytopenic serum'), **188**
Faeces, infants', oligosaccharides in, **273**
FAIRLEY, G. H.: Serum gamma globulin abnormalities in reticuloses with particular reference to haemolytic anaemia (P), **200**
—. *See also* MALPAS, J. S., and FAIRLEY, G. H.
FARRER-BROWN, G. *See* MILLER, A. L., FARRER-BROWN, G., and PETHER, J.
FEARNLEY, G. R., **319**, **337**, **351**, **364**
—: Fibrinolysis (Editorial to 2nd Workshop), **305**
—: Measurement of spontaneous fibrinolytic activity, **307**
—, and CHAKRABARTI, R.: Pharmacological enhancement of fibrinolytic activity of blood, **328**
FEINBERG, J. G., GOLDSMITH, K. L. G., and KEKWICK, R. A.: A mask facilitating multiple analyses by micro-immunoelectrophoresis, **690**
FENTON, J. C. B.: The estimation of red cell galactose-I-phosphate (P), **201**
Ferrioxamine in urine, estimation of, **395**
Fibrin and thrombosis in central nervous system in children with particular reference to congenital hydrocephalus, **348**
— clots, instrument for recording lysis time of, **194**
Fibrinogen, ^{131}I-, in humans, **347**
—, method for estimating, **319**
Fibrinolysis, in injured patients, **1**
— *in vitro*, effect of calcium on, **282**
—, topographical observations on, **324**
—, ultrasonic measurement of, **320**
— Workshop, 2nd, **305**
Fibrinolytic activity, changes in, during surgical procedures, **369**
— —, hyaline membrane disease in relation to, **345**
— — in plasma and urine in chronic renal disease, **365**
— — measured by heparin fractionation method, effect of physiological stimuli on, **341**
— — of blood, pharmacological enhancement of, **328**
— —, spontaneous, measurement of, **307**
— agents, effect of, on experimental and clinical thrombosis, **360**
— — in treatment of tuberculous meningitis, **353**
— mechanism in haemostasis, **520**
— therapy in meningitis and ventriculitis, **355**
— —, laboratory control of (P), **196**
— — of coronary thrombosis, **336**
FIELDING, J., and BRUNSTRÖM, G. M.: Estimation of ferrioxamine and desferrioxamine in urine, **395**
Flocculation test, Jirgl's, value of, in diagnosis of jaundice, **47**
Fluorescein sodium in blood, estimation of, **271**
Fluorescence microscopy applied to exfoliative cytology (P), **197**
— of solutions: review, **371**
Fluorescent antibody technique, comparison of, with cultural method in detection of infections with *Shigella sonnei*, **225**
FLUTE, P. T., **340**, **370**
—: Laboratory control of fibrinolytic therapy (P), **196**
—: Thrombolytic therapy, **333**
Foetal erythrocytes, technique of demonstration of, and applications (P), **476**
Folic acid activity in human serum, microbiological assay of, **660**
— — — of liver, assay of, **27**
— — and vitamin B_{12} levels in pregnancy and their relation to megaloblastic anaemia, **165**
— — clearances and basal serum folate levels in thyroid disease, **666**
— —, serum, estimation of labile component of, and its value in diagnosis of megaloblastic anaemia (P), **196**
— — studies in pregnancy (P), **196**
Forensic medicine, application of modern serological techniques to (P), **472**
Formaldehyde gas, dry sterilization of heat-labile materials by low-temperature steam and (P), **198**
Formiminoglutamic acid in urine, quantitative estimation of, **466**
FORREST, D. M., **351**, **364**, **367**
FRANKLIN, D. A. *See* DYBOWSKI, W., FRANKLIN, D. A., and PAYNE, L. C.
FRASER, I. D. *See* WILLS, M. R., and FRASER, I. D.
FREEMAN, T.: The study of ^{131}I-fibrinogen in humans, **347**
Frozen section technique by cryostat (P), **198**
Fungal infections of post-operative aural cavities (P), **475**

Galactosaemic infant with possible new inborn error of metabolism (P), **471**
β-Galactosidase and lactose fermentation in identification of enterobacteria including salmonellae, **117**
Galactose-I-phosphate, red cell, estimation of (P), **201**
Gamma globulin abnormalities, serum, in reticuloses with particular reference to haemolytic anaemia (P), **200**
GARIDI, M. *See* YATZIDIS, H., GARIDI, M., VASSILIKOS, C., MAYOPOULOU, D., and AKILAS, A.
Gastrectomized patient, calcium metabolism in (P), **202**
Gastro-duodenal Crohn's disease, **90**
Gel diffusion, detection of staphylococcal antibodies by, **517**
GEORGES, R. J., and WHITBY, L. G.: Urinary excretion of metabolites of catecholamines in normal individuals and hypertensive patients, **64**
GIBSON, A. *See* BARNETT, H., and GIBSON, A.
GIBSON, J. B., CARSON, N. A. J., and NEILL, D. W.: Pathological findings in homocystinuria, **427**
GILES, C. *See* BALL, E. W., and GILES, C.
GILLESPIE, E. H. *See* MORTON, R. S., GILLESPIE, E. H., and WILSON, M. A.
GILLESPIE, W. A. *See* MITCHELL, J. P., and GILLESPIE, W. A.
—. *See also* MITCHELL, R. G., and GILLESPIE, W. A.
GILLINGHAM, F. J., **352**, **359**
GILLIS, E. M., and BAIKIE, A. G.: Method for the demonstration of nucleoli in lymphocytes and other blood and bone marrow cells, **573**
GIMLETTE, T. M. D.: A simple technique using 'dialysable' thyroxine for assessment of thyroid status, **58**
GLENN, A. *See* GOLDIN, M., and GLENN, A.
γ-Globulin *See* Gamma globulin
α_2 Globulins, serum, changes in, in reticuloses, **651**
Glucose, blood, true, method for determination of (P), **202**
GOLDIN, M., and GLENN, A.: A micro-gel precipitin reaction for Hashimoto's thyroiditis, **268**
GOLDSMITH, K. L. G. *See* FEINBERG, J. G., GOLDSMITH, K. L. G., and KEKWICK, R. A.
Gonadotrophin, chorionic, immunochemical test, for, **548**
GRANT, R. A.: Estimation of hydroxyproline by an AutoAnalyser, **685**
GRAY, B. C. *See* WILLS, M. R., and GRAY, B. C.
GREEN, C. A. *See* TURK, D. C., and GREEN, C. A.
GREEN, J.: Heparin fractionation in the study of lytic activity, **316**
—. *See also* THOMSON, W. B., GREEN, J., and EVANS, I. L.
GRIFFITHS, P. D.: Serum levels of creatine phosphokinase, **56**
GRIMBLE, A.: Auto-immunity to prostate antigen in rheumatic disease, **264**
GRIMES, A. J.: Effect of enzyme deficiencies on red cell metabolism (P), **199**
GUNZ, F. W. *See* HILDER, F. M., and GUNZ, F. W.

HAAGENSEN, L. J. *See* JOSKE, R. A., and HAAGENSEN, L. J.
HABER, H., HARRIS-JONES, J. N., and WELLS, A. L.: Intravascular endothelioma (endothelioma *in situ*, systemic endotheliomatosis), **608**
HADZIYANNIS, S. *See* MERICAS, G., ANAGNOSTOU, E., HADZIYANNIS, S., and KAKARI, S.
Haematology, British Committee for Standards in, **303**
Haemoglobin estimations and leucocyte counts, system for, **467**
— variants, liquid nitrogen storage of, **99**
Haemoglobin-binding capacity, serum (haptoglobin), estimation of, on Sephadex G.100, **676**
Haemoglobins, abnormal, in native Britons (P), **199**
—, —, medico-legal aspects of (P), **200**
Haemoglobinuria, exertional: report on 3 cases with studies on haemolytic mechanism, **536**
Haemolytic anaemia, hereditary, biochemical basis of (P), **198**
— —, serum gamma globulin abnormalities in reticuloses with particular reference to (P), **200**
— conditions, lactate dehydrogenase in (P), **201**
— disease, serum haptoglobin in (P), **199**
— streptococci, blood agar medium for, **231**
Haemophilus influenzae and pneumococci, survival of, in specimens of sputum sent to laboratory by post, **254**
— —, capsular antigens of, measurement of antibodies reacting with, **294**
— —, short-term storage of, **297**
Haemostasis, fibrinolytic mechanism in, **520**
Hair, human, as reservoir of staphylococci (P), **475**
Haptoglobin, serum, estimation of, on Sephadex G.100, **676**
—, —, in haemolytic disease (P), **199**
HARCOURT-WEBSTER, J. N.: A retroperitoneal tumour of the chemodectoma type, **444**
HARDWICKE, J. *See* RATCLIFF, A. P., and HARDWICKE, J.
HARRIS-JONES, J. N. *See* HABER, H., HARRIS-JONES, J. N., and WELLS, A. L.
Hashimoto's thyroiditis, micro-gel precipitin reaction for, **268**
HAWKEY, C. M., and HOWELL, M.: Intravenous streptokinase in the treatment of retinal vascular occlusion, **363**
—, — —: The laboratory control of thrombolytic therapy, **287**
—, and STAFFORD, J. L.: A standard clot method for the assay of plasminogen activators, anti-activators, and plasmin, **175**
HAWTHORNE, J. *See* RICHARDS, H. G. H., RICHARDS, D. L., and HAWTHORNE, J.
—. *See also* WRIGLEY, C. H., and HAWTHORNE, J.
HEALY, J. E., EDWARDS, K. D. G., and WHYTE, H. M.: Simple tests of renal function using creatinine, phenolsulphonphthalein, and pitressin, **557**
HEARD, B. E. *See* WILLIAMS, R., SCHEUER, P. J., and HEARD, B. E.
HEIMER, G. V. *See* TAYLOR, C. E. D., HEIMER, G. V., LEA, D. J., and TOMLINSON, A. J. H.
HENDERSON, A. *See* BRODIE, J., and HENDERSON, A.
Heparin fractionation in study of lytic activity, **316**
— — method, effect of physiological stimuli on fibrinolytic activity measured by, **341**
Hepatic fibrosis, congenital, with unusual pulmonary lesion, **135**
HIGHMAN, W. J. *See* DRURY, R. A. B., PALMER, P. H., and HIGHMAN, W. J.
HILDER, F. M., and GUNZ, F. W.: The effect of age on normal values of the Westergren sedimentation rate, **292**
HILSON, G. R. F.: A disposable counting chamber for urinary cytology, **571**
Histidinaemia, biochemical investigation of, **671**
HOLTON, J. B.: Some disorders of bilirubin metabolism (P), **473**
—, LEWIS, F. J. W., and MOORE, G. R.: Biochemical investigation of histidinaemia, **671**
—. *See also* BEVAN, B. R., and HOLTON, J. B.
Homocystinuria, pathological findings, in **427**
HOWELL, M.: A method for assessing clot lysis, **310**
—. *See also* HAWKEY, C. M., and HOWELL, M.
HUGHES, K. E. A. *See* DARMADY, E. M., DREWETT, S. E., and HUGHES, K. E. A.
HUMPHRYES, K. C. *See* KNIGHT, R. H., and HUMPHRYES, K. C.
HUNTSMAN, R. G.: Medico-legal aspects of abnormal haemoglobins (P), **200**
—, HURN, B. A. L., LIDDELL, J., LEHMANN, H., and SUKUMARAN, P. K.: Liquid nitrogen storage of haemoglobin variants, **99**
HURDLE, A. D. F. *See* DARRELL, J. H., and HURDLE, A. D. F.
HURN, B. A. L., and WHITMORE, D. N.: Adenine in red cell preservation (P), **200**
—. *See also* HUNTSMAN, R. G., HURN, B. A. L., LIDDELL, J., LEHMANN, H., and SUKUMARAN, P. K.
HUTCHISON, H. E. *See* BUCHANAN, K. D., KINLOCH, J. D., HUTCHISON, H. E., PINKERTON, P. H., and CASSIDY, P.
Hyaline deposits in laryngeal, aural, and nasal polyps, histological study of, and their differentiation from amyloid, **213**
— membrane disease in relation to fibrinolytic activity, **345**
Hydrocephalus, congenital, fibrin and thrombosis in central nervous system in children with particular reference to, **348**
Hydroxyproline, estimation of, by AutoAnalyser, **685**
5-Hydroxytryptamine in portal hypertension (P), **474**
Hypercalcaemia, acid-base disturbances in (P), **476**
Hypercholesterolaemic patients, serum bile acid levels in, **156**
Hyperkalaemia, spurious, **649**
Hypertension, portal, 5-hydroxytryptamine in (P), **474**
Hypertensive patients, urinary excretion of metabolites of catecholamines in, **64**
Hypothermia, profound, changes in serum and urinary potassium levels during, **257**
Hypothyroidism, seromucoid, ground substance and, **655**

Immunochemical test for chorionic gonadotrophin, **548**
Incubators, CO_2, control system for, **100**
Infants' faeces, oligosaccharides in, **273**
Injured patients, coagulation and fibrinolysis in, **1**
INNES, D., and SEVITT, S.: Coagulation and fibrinolysis in injured patients, **1**
Instruments, urethral, bacteriological complications from use of (P), **472**
—, —, — — — — —: principles of prevention, **492**
Intravascular endothelioma, **608**
Iodine (^{131}I)-fibrinogen in humans, **347**
Isoniazid, vertical diffusion method for microbiological assay of, **622**
ISPAHANI, P. *See* KHALEQUE, K. A., MUAZZAM, M. G., and ISPAHANI, P.
IVESON, J. B., KOVACS, N., and LAURIE, W.: An improved method of isolating salmonellae from contaminated desiccated coconut, **75**

JACOBS, A.: Phagocytosis in normal and anaemic blood, **185**
JACOBS, S. I., and WILLIS, A. T.: Some physiological characteristics of neomycin- and kanamycin-resistant strains of *Staphylococcus aureus*, **612**
JAMES, D. C. O., **309**, **359**, **367**
JANSSON, E.: Preparation of complement-fixing antigen for routine use in diagnosis of Eaton pneumonia, **458**
Jaundice, value of Jirgl's flocculation test in diagnosis of, **47**
JAYARAMAN, M. S. *See* LAPAGE, S. P., and JAYARAMAN, M. S.
JEFFRIES, L., and PRICE, S. A.: The evaluation and modification of a technique for comparing the efficiency of antiseptics against subcutaneously deposited bacteria in mice, **504**
JEVONS, M. P., and PARKER, M. T.: The evolution of new hospital strains of *Staphylococcus aureus*, **243**
—. *See also* NOBLE, W. C., WILLIAMS, R. E. O., JEVONS, M. P., and SHOOTER, R. A.
Jirgl's flocculation test, value of, in diagnosis of jaundice, **47**
JONES, A.: A polystyrene mouse cage, **470**
JONES, R. S., KAMATH, V. R., and KAY, J. C.: Measurement of *p*H, PCO_2, and standard bicarbonate on samples of capillary blood, **564**
JOSKE, R. A., and HAAGENSEN, L. J.: The 5 g. *d*-xylose absorption test, **154**

KAKARI, S. *See* MERICAS, G., ANAGNOSTOU, E., HADZIYANNIS, S., and KAKARI, S.
KAMATH, V. R. *See* JONES, R. S., KAMATH, V. R., and KAY, J. C.
Kanamycin-resistant strains of *Staphylococcus aureus*, physiological characteristics of, **612**
KAWERAU, E., and SURTEES, S. J.: A new method for the continuous and discontinuous automatic determination of true blue glucose (P), **202**
KAY, J. C. *See* JONES, R. S., KAMATH, V. R., and KAY, J. C.
KEKWICK, R. A. *See* FEINBERG, J. G., GOLDSMITH, K. L. G., and KEKWICK, R. A.
KELLEHER, J., WALTERS, G., ROBINSON, R., and SMITH, P.: Chemical tests for phaeochromocytoma, **399**
KENNEDY, J. A., and KINLOCH, J. D.: The impurity of radioiodinated triolein, **160**
KHALEQUE, K. A., MUAZZAM, M. G., and ISPAHANI, P.: A simple method for the use of water melon seed preparations in the estimation of blood urea, **97**
KIDSON, A. *See* LOWBURY, E. J. L., KIDSON, A., and LILLY, H. A.
KINGSLEY, D. P. E. *See* LANGDON, L., and KINGSLEY, D. P. E.
KINLOCH, J. D. *See* BUCHANAN, K. D., KINLOCH, J. D., HUTCHISON, H. E., PINKERTON, P. H., and CASSIDY, P.
—. *See* KENNEDY, J. A., and KINLOCH, J. D.
Klebsiella species, identification and clinical significance of, in chest infections, **617**
KLIPSTEIN, F. A. *See* LINDENBAUM, J., and KLIPSTEIN, F. A.
KNIGHT, R. H., and HUMPHRYES, K. C.: The preservation of agar gel electropherograms, **195**
KOHN, J.: Quantitative estimation of formiminoglutamic acid in urine, **466**
KOVACS, N. *See* IVESON, J. B., KOVACS, N., and LAURIE, W.

LACK, C. H., **323**, **351**
Lactate dehydrogenase in haemolytic conditions (P), **201**
— — isoenzyme patterns in carcinomas of breast (P), **201**
— — isoenzymes, staining of, after electrophoretic separation on cellulose acetate, **567**
Lactobacillus casei activity, serum, estimation of, **111**
Lactose fermentation in identification of enterobacteria including salmonellae, **117**
LANGDON, L., and KINGSLEY, D. P. E.: Changes in serum and urinary potassium levels during profound hypothermia in man, **257**
LAPAGE, S. P., and JAYARAMAN, M. S.: Beta-galactosidase and lactose fermentation in the identification of enterobacteria including salmonellae, **117**
Laryngeal polyps, histological study of hyaline deposits in, and their differentiation from amyloid, **213**
LAURIE, W. *See* IVESON, J. B., KOVACS, N., and LAURIE, W.

LAWRENCE, A. C. K.: Urokinase and epsilon-amino caproic acid (P), **476**
LEA, D. J. *See* TAYLOR, C. E. D., HEIMER, G. V., LEA, D. J., and TOMLINSON, A. J. H.
Lead, effect of, on fragility of red cell incubated *in vitro*, **405**
—, serum aspartate and alanine transaminase levels in workers exposed to, **149**
LEGRICE, H. *See* PIERSE, D., and LEGRICE, H.
LEHMANN, H. *See* HUNTSMAN, R. G., HURN, B. A. L., LIDDELL, J., LEHMANN, H., and SUKUMARAN, P. K.
LEIGH, D. A., and WILLIAMS, J. D.: Method for the detection of significant bacteriuria in large groups of patients, **498**
Leucine aminopeptidase isoenzymes, localization of, **61**
— —, serum, diagnostic value of, **52**
Leucocyte counts, system for, **467**
Leucocytes and leucopoiesis in megaloblastic anaemias (P), **196**
Leukaemia, acute, chromosome studies in (P), **475**
Leukaemic and related bone marrow proliferations, stromal changes in, **541**
LEWIS, F. J. W., MACTAGGART, M., and ANDREWS, M. I. J.: Chromosome studies in acute leukaemia (P), **475**
—. *See also* HOLTON, J. B., LEWIS, F. J. W., and MOORE, G. R.
LIDDELL, J.: Abnormal haemoglobin in native Britons (P), **199**
—. *See also* HUNTSMAN, R. G., HURN, B. A. L., LIDDELL, J., LEHMANN, H., and SUKUMARAN, P. K.
LILLY, H. A. *See* LOWBURY, E. J. L., KIDSON, A., and LILLY, H. A.
LINDENBAUM, J., and KLIPSTEIN, F. A.: Folic acid clearances and basal serum folate levels in patients with thyroid disease, **666**
LINTON, A. H.: Sources of error in antibiotic sensitivity testing (P), **474**
Lipoproteins, low-density (beta), of serum, estimation of, in health and disease using large molecular weight dextran sulphate, **627**
Liver, assay of folic-acid activity of, **27**
— disease, histochemical evidence of (P), **474**
LLOYD, J., and MITCHISON, D. A.: A vertical diffusion method for the microbiological assay of isoniazid, **622**
Locum Bureau, **97**
LORBER, J.: Fibrinolytic agents in the treatment of tuberculous meningitis, **353**
LOWBURY, E. J. L., KIDSON, A., and LILLY, H. A.: A new selective blood agar medium for *Streptococcus pyogenes* and other haemolytic streptococci, **231**
Lupus erythematosus and scleroderma, seromucoid in, **658**
Lymphocytes, method for demonstration of nucleoli in, **573**
Lymphoma, malignant, of thyroid, **591**
LYNCH, P. F. *See* SUMMERS, M. M., LYNCH, P. F., and BLACK, T.
Lysis, clot, method for assessing, **310**
Lytic activity, heparin fractionation in study of, **316**

MACAFEE, A. L.: Blood groups and diabetes mellitus, **39**
MCALPINE, J. C., and BANCROFT, J. D.: A histological study of hyaline deposits in laryngeal, aural, and nasal polyps and their differentiation from amyloid, **213**
MACFARLANE, R. G., **323**, **332**
MCGOWAN, G. K. *See* WILLS, M. R., and MCGOWAN, G. K.
MACLEOD, M. *See* EDWARD, N., YOUNG, D. P.-G., and MACLEOD, M.
MCNICOL, G. P., **315**, **323**, **327**, **337**, **346**, **354**, **361**, **364**, **367**, **370**
—, and DOUGLAS, A. S.: Thrombolytic therapy, **338**
MACTAGGART, M. *See* LEWIS, F. J. W., MACTAGGART, M., and ANDREWS, M. I. J.
Magnesium estimation, serum, automated method for, **644**
Malignant lymphoma of thyroid, **591**
— neurilemmoma, congenital, **130**
MALPAS, J. S., and FAIRLEY, G. H.: Changes in serum alpha$_2$ globulins in reticuloses, **651**
MANLEY, G.: Histology of the aortic media in dissecting aneurysms, **220**
Marrow cells, method for demonstration of nucleoli in, **573**
— proliferations, stromal changes in, **541**
MARSDEN, H. B., and STEWARD, J. K.: Ewing's tumours and neuroblastomas, **411**
Mask facilitating multiple analyses by micro-immunoelectrophoresis, **690**
MASON, M. K.: Cytology of the prostate, **581**
MATTHEWS, D. M., MUIR, G. G., and BARON, D. N.: Estimation of alpha-amino nitrogen in plasma and urine by the colorimetric ninhydrin reaction, **150**
MAY, J. R., and DELVES, D. M.: The survival of *Harmophilus influenzae* and pneumococci in specimens of sputum sent to the laboratory by post, **254**
MAYOPOULOU, D. *See* YATZIDIS, H., GARIDI, M., VASILIKOS, C., MAYOPOULOU, D., and AKILAS, A.
MEADE, B. W., and ROSALKI, S. B.: Localization of leucine aminopeptidase isoenzymes, **61**
Medical Research Council, Sub-Committee for Control of Anticoagulant Therapy: Report, **531**
Medico-legal aspects of abnormal haemoglobins (P), **200**
Megaloblastic anaemia, enzymes in (P), **201**
— —, estimation of labile component of serum folic acid and its value in diagnosis of (P), **196**
— —, folic acid and vitamin B$_{12}$ levels in pregnancy and relation to, **165**
— —, leucocytes and leucopoiesis in (P), **196**
Meningitis, fibrinolytic therapy in, **355**
—, tuberculous, fibrinolytic agents in treatment of, **353**
MERICAS, G., ANAGNOSTOU, E., HADZIYANNIS, S., and KAKARI, S.: The diagnostic value of serum leucine aminopeptidase, **52**
Metabolism, galactosaemic infant with possible new inborn error of (P), **471**
Micro-gel precipitin reaction for Hashimoto's thyroiditis, **268**
Micro-immunoelectrophoresis, mask facilitating multiple analyses by, **690**
MILLER, A. L., FARRER-BROWN, G., and PETHER, J.: Initial experience with Thrombotest, **182**
Mima polymorpha and *Achromobacter anitratum*, **513**
MITCHELL, J. P.: Bacteriological complications from the use of urethral instruments (P), **472**
—, and GILLESPIE, W. A.: Bacteriological complications from the use of urethral instruments: principles of prevention, **492**
MITCHELL, P. E. G., CROOKS, J., CLARK, C. G., and DAWSON, A. A.: Studies of calcium metabolism in gastrectomized patient (P), **202**
MITCHELL, R. G.: Urinary tract infections due to coagulase-negative staphylococci, **105**
—, and GILLESPIE, W. A.: Bacterial endocarditis due to an actinobacillus, **511**
MITCHISON, D. A. *See* LLOYD, J., and MITCHISON, D. A.
MOLLISON, A. *See* CAMPBELL, A., CAMERON, E., and MOLLISON, A.
MOORE, G. R. *See* HOLTON, J. B., LEWIS, F. J. W., and MOORE, G. R.
MORE, J. R. S. *See* POLLER, L., and MORE, J. R. S.
MORTON, R. S., GILLESPIE, E. H., and WILSON, M. A.: Virus culture studies in non-gonococcal urethritis, **114**
Mouse cage, polystyrene, **470**
MUAZZAM, M. G. *See* KHALEQUE, K. A., MUAZZAM, M. G., and ISFAHANI, F.
MUIR, G. G. *See* MATTHEWS, D. N., MUIR, G. G., and BARON, D. N.
Myxoedema, carcinoma of thyroid in (P), **197**
—, — — — —, **438**

Naphthionin in management of bleeding defect in thrombocytopenia, **680**
Nasal carriage of staphylococci, **79**
— polyps, histological study of hyaline deposits in, and their differentiation from amyloid, **213**
NAYLOR, B., and RAILEY, C.: A pitfall in the cytodiagnosis of sputum of asthmatics, **84**
NEILL, D. W. *See* GIBSON, J. B., CARSON, N. A. J., and NEILL, D. W.
NELSON, M. G.: Matthew Harris O'Connor (*Obituary*), **95**
Neomycin- and kanamycin-resistant strains of *Staphylococcus aureus*, physiological characteristics of, **612**
Neoplasia of aortic intima, **602**
—, pattern of, in children, **407**
Nephropathy, phenacetin, chronic (P), **471**
Neurilemmoma, congenital malignant, **130**
Neuroblastomas, Ewing's tumours and, **411**
NEWMAN, R. L., **364**
—: An instrument for recording the lysis time of fibrin clots, **194**
—: A method for detecting and estimating plasminogen in cerebrospinal fluid, **313**
NICOL, A., and SCLARE, G.: The occurrence of carcinoma of the thyroid in myxoedema (P), **197**
—. *See also* SCLARE, G., and NICOL, A.
NICOL, D. J. *See* DAVIS, R. E., and NICOL, D. J.
Ninhydrin reaction, colorimetric, estimation of α-amino nitrogen in plasma and urine by, **150**
Nitrogen storage, liquid, of haemoglobin variants, **99**
NIXON, H. H., **351**, **352**
NOBLE, W. C., WILLIAMS, R. E. O., JEVONS, M. P., and SHOOTER, R. A.: Some aspects of nasal carriage of staphylococci, **79**
Nucleoli in lymphocytes and other blood and bone marrow cells, method for demonstration of, **573**

O'BRIEN, J. R.: A comparison of platelet aggregation produced by seven compounds and a comparison of their inhibitors, **275**
—: Platelet stickiness: some methods and some theory (P), **472**
Obituary: O'Connor, Matthew Harris, **95**
—: Ross, Joan Margaret, **575**
O'Connor, Matthew Harris (*Obituary*), **95**
Oesophagus, carcinoma of, ABO blood groups of, **42**
Oligosaccharides in infants' faeces, **273**
ORBAN, T. D.: An immunochemical test for chorionic gonadotrophin, **548**
OSBORN, E. C., and WOOTTON, I. D. P.: Serum bile acid levels in hypercholesterolaemic patients, **156**
OWEN, J. A.: Serum haptoglobin in haemolytic disease (P), **199**
Oxalyldihydrazide, microdetermination of biological copper with, **260**

PALMER, P. H. *See* DRURY, R. A. B., PALMER, P. H., and HIGHMAN, W. J.
PANJA, B. K., SENGUPTA, K. P., and AIKAT, B. K.: Seromucoid in lupus erythematosus and scleroderma, **658**
PARKER, M. T. *See* JEVONS, M. P., and PARKER, M. T.
PARRY, E. W., **361**
Pasteurella septica, three strains of, isolated in Hong Kong, **107**
Pathology, changing pattern of, **477**
PAYNE, L. C. *See* DYBOWSKI, W., FRANKLIN, D. A., and PAYNE, L. C.
PCO_2, measurement of, on samples of capillary blood, **564**
PEACOCK, J. H. *See* TYLER, C., PEACOCK, J. H., and SMITH, C.

PEARSON, D.: The role of radiotherapy in the treatment of tumours in children, **423**
PEEL, E. L.: Lactate dehydrogenase in haemolytic conditions (P), **201**
PEETERS, H., STEENHOUDT, G., and DECROIX, G.: Ultrasonic measurement of coagulation and fibrinolysis, **320**
Pepsinogen, serum, clinical use of (P), **471**
PERCIVAL, A.: Laboratory diagnosis of urinary infections (P), **473**
—. *See also* BRUMFITT, W., and PERCIVAL, A.
PEREIRA, M.: The application of modern serological techniques to forensic medicine (P), **472**
PETHER, J. *See* MILLER, A. L., FARRER-BROWN, G., and PETHER, J.
*p*H, PCO_2, and standard bicarbonate, measurement of, on samples of capillary blood, **564**
Phaeochromocytoma, chemical tests for, **399**
Phagocytosis in normal and anaemic blood, **185**
Pharmacological enhancement of fibrinolytic activity of blood, **328**
Phenacetin nephropathy, chronic (P), **471**
Phenosulphonphthalein, tests of renal function using, **557**
Photometric test for diagnosis of Von Willebrand's disease, **191**
Physiological stimuli, effect of, on fibrinolytic activity measured by heparin fractionation method, **341**
PIERSE, D., **364**
—, and LEGRICE, H.: The use of urokinase in the anterior chamber of the eye, **362**
PINKERTON, P. H. *See* BUCHANAN, K. D., KINLOCH, J. D., HUTCHISON, H. E., PINKERTON, P. H., and CASSIDY, P.
Pitressin, tests of renal function using, **557**
Plasma and urine, estimation of α-amino nitrogen in, by colorimetric ninhydrin reaction, **150**
—, fibrinolytic activity in, in chronic renal disease, **365**
Plasminogen activators, anti-activators, and plasmin, standard clot method for assay of, **175**
— in cerebrospinal fluid, method for detecting and estimating, **313**
Platelet aggregation produced by seven compounds, comparison of, and of their inhibitors, **275**
— count, adhesive, in whole blood, **45**
— stickiness (P), **472**
Pneumococci, survival of, in specimens of sputum sent to laboratory by post, **254**
Pneumonia, Eaton, preparation of complement-fixing antigen for use in diagnosis of, **458**
POLLER, L., and MORE, J. R. S.: A study of Naphthionin in the management of the bleeding defect in thrombocytopenia, **680**
Polyacrylamide disc electrophoresis technique, analysis of 'native' cerebrospinal fluid by, **143**
Polyps, laryngeal, aural, and nasal, histological study of hyaline deposits in, and their differentiation from amyloid, **213**
Portal hypertension, 5-hydroxytryptamine in (P), **474**
Potassium levels, serum and urinary, changes in, during profound hypothermia, **257**
Precipitin reaction, micro-gel, for Hashimoto's thyroiditis, **268**
Pregnancy, folic acid and vitamin B_{12} levels in, and relation to megaloblastic anaemia, **165**
—, folic acid studies in (P), **196**
PRICE, S. A. *See* JEFFRIES, L., and PRICE, S. A.
Prostate antigen, auto-immunity to, in rheumatic disease, **264**
—, cytology of, **581**
Prostatic hyperplasia, benign, ABO blood groups of, **42**
Proteus species, antibiotic sensitivity of, **69**
PRYSE-DAVIES, J.: Gastro-duodenal Crohn's disease, **90**
Pseudomonas pyocyanea and arginine dihydrolase system, **122**
— —, pyocine-typing of hospital strains of, **236**
Pulmonary lesion, unusual, congenital hepatic fibrosis with, **135**
Pyelonephritis, pathogenesis of (P), **473**
Pyocine-typing of hospital strains of *Pseudomonas pyocyanea*, **236**

Radioiodinated triolein, impurity of, **160**
Radiotherapy, role of, in treatment of tumours in children, **423**
RAILEY, C. *See* NAYLOR, B., and RAILEY, C.
RAPER, A. B.: The technique of the demonstration of foetal erythrocytes and some of its applications (P), **476**
RATCLIFF, A. P., and HARDWICKE, J.: Estimation of serum haemoglobin-binding capacity (haptoglobin) on Sephadex G. 100, **676**
Red cell galactose-1-phosphate, estimation of (P), **201**
— — incubated *in vitro*, effect of lead on fragility of, **405**
— — metabolism, effect of enzyme deficiencies on (P), **199**
— — preservation, adenine in (P), **200**
Renal disease, chronic, fibrinolytic activity in plasma and urine in, **365**
— function, tests of, using creatinine, phenolsulphonphthalein, and pitressin, **557**
Reticuloses, changes in serum α_2 globulins in, **651**
—, serum gamma globulin abnormalities in, with particular reference to haemolytic anaemia (P), **200**
Retinal vascular occlusion, intravenous streptokinase in treatment of, **363**
Retroperitoneal tumour of chemodectoma type, **444**
Rheumatic disease, auto-immunity to prostate antigen, in, **264**
Ribonucleic acid content of human tissues obtained at necropsy, **554**
RICHARDS, D. L. *See* RICHARDS, H. G. H., RICHARDS, D. L., and HAWTHORNE, J.
RICHARDS, H. G. H., RICHARDS, D. L., and HAWTHORNE, J.: Certain features of leucocytes and leucopoiesis in megaloblastic anaemias (P), **196**
ROBINSON, R. *See* KELLEHER, J., WALTERS, G., ROBINSON, R., and SMITH P.
ROGERS, K. B.: The value of direct sensitivity plates to clinicians and the laboratory (P), **197**
ROLINSON, G. N. *See* SUTHERLAND, R., and ROLINSON, G. N.
ROSALKI, S. B. *See* MEADE, B. W., and ROSALKI, S. B.
Ross, Joan Margaret (*Obituary*), **575**
ROTHMAN, D. *See* CHANARIN, I., and ROTHMAN, D.
ROTHNIE, N. G., **361**
—: A rapid and simple method for estimating fibrinogen, **319**

Salmonellae, β-galactosidase and lactose fermentation in identification of, **117**
—, method of isolating, from contaminated desiccated coconut, **75**
SANERKIN, N. G.: Chronic phenacetin nephropathy (P), **471**
—: Stromal changes in leukaemic and related bone marrow proliferations, **541**
SAWYER, B. *See* SLATER, T. F., SAWYER, B., and STRÄULI, U.
SCHEUER, P. J. *See* WILLIAMS, R., SCHEUER, P. J., and HEARD, B. E.
SCLARE, G., and NICOL, A.: Carcinoma of the thyroid in myxoedema, **438**
—. *See also* NICOL, A., and SCLARE, G.
Scleroderma, seromucoid in, **658**
SCOTT, P. J. *See* WALTON, K. W., and SCOTT, P. J.
SENGUPTA, K. P. *See* PANJA, R. K., SENGUPTA, K. P., and AIKAT, B. K.
Sensitivity plates, direct, value of, to clinicians and laboratory (P), **197**
Sephadex G.100, estimation of serum haemoglobin-binding capacity (haptoglobin) on, **676**
Serological techniques, modern, application of, to forensic medicine (P), **472**
Seromucoid, ground substance, and hypothyroidism, **655**
— in lupus erythematosus and scleroderma, **658**
Serum and urinary potassium levels, changes in, during profound hypothermia, **257**
— aspartate and alanine transaminase levels in workers exposed to lead, **149**
— bile acid levels in hypercholesterolaemic patients, **156**
— folate levels, basal, folic acid clearances and, in thyroid disease, **666**
—, folic acid activity in, microbiological assay of, **660**
— — —, estimation of labile component of, and its value in diagnosis of megaloblastic anaemia (P), **196**
— gamma globulin abnormalities in reticuloses with particular reference to haemolytic anaemia (P), **200**
— α_2 globulins, changes in, in reticuloses, **651**
— haemoglobin-binding capacity (haptoglobin), estimation of, on Sephadex G.100, **676**
— haptoglobin in haemolytic disease (P), **199**
— *L. casei* activity, estimation of, **111**
— leucine aminopeptidase, diagnostic value of, **52**
— levels of creatine phosphokinase, **56**
—, low-density (beta) lipoproteins of, estimation of, in health and disease using large molecular weight dextran sulphate, **627**
— magnesium estimation, automated method for, **644**
— pepsinogen, clinical use of (P), **471**
—, 'thrombocytopenic': artificial factor VIII-deficient reagent, **188**
—, vitamin B_{12} in, *Euglena* method for assay of, **14**
SEVITT, S. *See* INNES, D., and SEVITT, S.
Shigella sonnei, infections with, comparison of fluorescent antibody technique with cultural method in detection of, **225**
SHINTON, N. K., and SINGH, A. K.: The clinical use of serum pepsinogen (P), **471**
SHOOTER, R. A. *See* NOBLE, W. C., WILLIAMS, R. E. O., JEVONS, M. P., and SHOOTER, R. A.
SILCOX, A. A. *See* BITENSKY, L., SILCOX, A. A., and AVES, E. K.
SINCLAIR, L.: Hyaline membrane disease in relation to fibrinolytic activity, **345**
SINGH, A. K. *See* SHINTON, N. K., and SINGH, A. K.
SLADDEN, R. A.: Neoplasia of aortic intima, **602**
SLATER, T. F., SAWYER, B., and STRÄULI, U.: Deoxyribonucleic acid and ribonucleic acid content of human tissues obtained at necropsy, **554**
SMITH, C. *See* TYLER, C., PEACOCK, J. H., and SMITH, C.
SMITH, P. *See* KELLEHER, J., WALTERS, G., ROBINSON, R., and SMITH, P.
Solutions, fluorescence of, **371**
SPRAY, G. H.: Microbiological assay of folic acid activity in human serum, **660**
Sputum of asthmatics, cytodiagnosis of, **84**
—, specimens of, sent to laboratory by post, survival of *Haemophilus influenzae* and pneumococci, in, **254**
STAFFORD, J. L.: The fibrinolytic mechanism in haemostasis: a review, **520**
—. *See also* HAWKEY, C. M., and STAFFORD, J. L.
STANDRING, D. M.: Detection of staphylococcal antibodies by gel diffusion, **517**
Staphylococcal antibodies, detection of, by gel diffusion, **517**
Staphylococci, coagulase-negative, urinary tract infections due to, **105**
—, human hair as a reservoir of (P), **475**
—, nasal carriage of, **79**
Staphylococcus aureus, evolution of new hospital strains of, **243**
— —, physiological characteristics of neomycin- and kanamycin-resistant strains of, **612**
Steam, low-temperature, and formaldehyde gas, dry sterilization of heat-labile materials by (P), **198**

Steam sterilizers, prevacuum high-pressure, **126**
STEENHOUDT, G. *See* PEETERS, H., STEENHOUDT, G., and DECROIX, G.
Sterilization, dry, of heat-labile materials by low-temperature steam and formaldehyde gas (P), **198**
Sterilizers, prevacuum high-pressure steam, **126**
STERN, J., **323**, **344**
STEWARD, J. K.: The pattern of neoplasia in children, **407**
—. *See also* MARSDEN, H. B., and STEWARD, J. K.
STEWART, G. T., **323**, **337**, **351**
—: Fibrinolytic therapy in meningitis and ventriculitis, **355**
STRAULI, U. *See* SLATER, T. F., SAWYER, B., and STRAULI, U.
Streptococcus pyogenes and other haemolytic streptococci, blood agar medium for, **231**
Streptokinase, intravenous, in treatment of retinal vascular occlusion, **363**
Stromal changes in leukaemic and related bone marrow proliferations, **541**
Subcutaneous infection due to *Aspergillus terreus*, **251**
SUKUMARAN, P. K. *See* BUNTSMAN, R. G., HURN, B. A. L., LIDDELL, J., LEHMANN, H., and SUKUMARAN, P. K.
SUMMERS, M. M., LYNCH, P. F., and BLACK, T.: The human hair as a reservoir of staphylococci (P), **475**
SURTEES, S. J. *See* KAWERAU, E., and SURTEES, S. J.
SUTHERLAND, R., and ROLINSON, G. N.: Activity of ampicillin *in vitro* compared with other antibiotics, **461**

TAYLOR, C. E. D., HEIMER, G. V., LEA, D. J., and TOMLINSON, A. J. H.: A comparison of a fluorescent antibody technique with a cultural method in the detection of infections with *Shigella sonnei*, **225**
TAYLOR, J.: Jean Margaret Ross (*Obituary*), **575**
TAYLOR, J. L., and WHITBY, J. L.: *Pseudomonas pyocyanea* and the arginine dihydrolase system, **122**
Tetracycline levels in bronchial secretions (P), **475**
Thalassaemia in Scots (P), **199**
Thin-layer chromatography, apparatus for, **469**
THOMSON, W. B., GREEN, J., and EVANS, I. L.: The effect of some physiological stimuli on fibrinolytic activity in man measured by the heparin fractionation method, **341**
Thrombocytopenia, Naphthionin in management of bleeding defect in, **680**
'Thrombocytopenic serum': artificial factor VIII-deficient reagent, **188**
Thrombolytic therapy, **333**, **338**
— —, laboratory control of, **287**
Thrombosis, coronary, fibrinolytic therapy of, **336**
—, experimental and clinical, effects of fibrinolytic agents on, **360**
— in central nervous system in children, fibrin and, with particular reference to congenital hydrocephalus, **348**
Thrombotest, initial experience with, **182**
Thyroid, carcinoma of, in myxoedema (P), **197**
—, — —, — —, **438**
— disease, folic acid clearances and basal serum folate levels in, **666**
—, malignant lymphoma of, **591**
— status, technique using 'dialysable' thyroxine for assessment of, **58**
Thyroiditis, Hashimoto's, micro-gel precipitin reaction for, **268**
Thyroxine, 'dialysable', technique using, for assessment of thyroid status, **58**
TODD, A. S.: Some topographical observations on fibrinolysis, **324**
TOMLIN, S. *See* DAVIDSON, E., and TOMLIN, S.
TOMLINSON, A. J. H. *See* TAYLOR, C. E. D., HEIMER, G. V., LEA, D. J., and TOMLINSON, A. J. H.
Triolein, radioiodinated, impurity of, **160**
TSAPOGAS, M. J., **335**, **370**
—: Effects of fibrinolytic agents on experimental and clinical thrombosis, **360**
Tuberculous meningitis, fibrinolytic agents in treatment of, **353**
Tumours, Ewing's, and neuroblastomas, **411**
— of central nervous system in children, **418**
—, pathology of, in children, **407**
—, retroperitoneal, of chemodectoma type, **444**
—, role of radiotherapy in treatment of, in children, **423**
TURK, D. C.: Short-term storage of *Haemophilus influenzae*, **297**
—, and GREEN, C. A.: Measurement of antibodies reacting with capsular antigens of *Haemophilus influenzae*, **294**
TYLER, C., PEACOCK, J. H., and SMITH, C.: 5-Hydroxytryptamine in portal hypertension (P), **474**

Ultrasonic measurement of coagulation and fibrinolysis, **320**
Uranin in blood, estimation of, **271**
Urea, blood, method for use of water melon seed preparations in estimation of, **97**
—, method for colorimetric determination of, with Ehrlich's reagent, **163**
Urethral instruments, bacteriological complications from use of (P), **472**
— —, — — — — —: principles of prevention, **492**
Urethritis, non-gonococcal, virus culture studies in, **114**
Urinary cytology, disposable counting chamber, for, **571**
— infections, laboratory diagnosis of (P), **473**
— potassium levels, changes in, during profound hypothermia, **257**
— tract infections due to coagulase-negative staphylococci, **105**
— — —, non-tuberculous, pathogenesis and laboratory diagnosis of, **482**
Urine, α-amino nitrogen in, estimation of, by colorimetric ninhydrin reaction, **150**
—, ferrioxamine and desferrioxamine in, estimation of, **395**
—, fibrinolytic activity in, in chronic renal disease, **365**
—, formiminoglutamic acid in, quantitative estimation of, **466**
Urokinase and ε-amino-caproic acid (P), **476**
—, use of, in anterior chamber of eye, **362**

VAINER, H., and CAEN, J. P.: A useful photometric test for the diagnosis of Von Willebrand's disease, **191**
VASSILIKOS, C. *See* YATZIDIS, H., GARIDI, M., VASSILIKOS, C., MAYOPOULOU, D., and AKILAS, A.
Ventriculitis, fibrinolytic therapy in, **355**
Vertebral bodies, carcinomatous metastasis to, **448**
Virus culture studies in non-gonococcal urethritis, **114**
Vitamin B_{12} in serum, *Euglena* method for assay of, **14**
— — level in pregnancy and relation to megaloblastic anaemia, **165**
Von Willebrand's disease, photometric test for diagnosis of, **191**

WAGATSUMA, T., and WRIGHT, H. P.: The estimation of uranin (fluorescein sodium) in blood, **271**
WAHBA, A. H. *See* DARRELL, J. H., and WAHBA, A. H.
WALDRON, H. A.: The effect of lead on the fragility of the red cell incubated *in vitro*, **405**
—: Serum aspartate and alanine transaminase levels in workers exposed to lead, **149**
WALSH, M. P.: A simple apparatus for thin-layer chromatography, **469**
WALTERS, G. *See* KELLEHER, J., WALTERS, G., ROBINSON, R., and SMITH, P.
WALTON, K. W., and SCOTT, P. J.: Estimation of the low-density (beta) lipoproteins of serum in health and disease using large molecular weight dextran sulphate, **627**
Water melon seed preparations, method for use of, in estimation of blood urea, **97**
WATERWORTH, P. M. *See* BARBER, M., and WATERWORTH, P. M.
WELLS, A. L. *See* HABER, H., HARRIS-JONES, J. N., and WELLS, A. L.
Westergren sedimentation rate, effect of age on normal values of, **292**
WHITBY, J. L. *See* TAYLOR, J. J., and WHITBY, J. L.
WHITBY, L. G. *See* GEORGES, R. J., and WHITBY, L. G.
WHITMORE, D. N., and EVANS, D. I. K.: An automated method for serum magnesium estimation, **644**
—. *See also* HURN, B. A. L., and WHITMORE, D. N.
WHYTE, H. M. *See* HEALY, J. K., EDWARDS, K. D. G., and WHYTE, H. M.
WILKINSON, A. W. *See* BODIAN, M., and WILKINSON, A. W.
WILKINSON, J. H. *See* EMERSON, P. M., WILKINSON, J. H., and WITHYCOMBE, W. A.
WILLIAMS, J. D. *See* LEIGH, D. A., and WILLIAMS, J. D.
WILLIAMS, R., SCHEUER, P. J., and HEARD, B. E.: Congenital hepatic fibrosis with an unusual pulmonary lesion, **135**
—. *See also* BELL, J. L., and WILLIAMS, R.
WILLIAMS, R. E. O. *See* NOBLE, W. C., WILLIAMS, R. E. O., JEVONS, M. P., and SHOOTER, R. A.
WILLIAMS, R. T., and BRIDGES, J. W.: Fluorescence of solutions: a review, **371**
WILLIS, A. T. *See* JACOBS, S. I., and WILLIS, A. T.
WILLS, M. R., and FRASER, I. D.: Spurious hyperkalaemia, **649**
—, and GRAY, B. C.: Micro-method for estimation of calcium by AutoAnalyser, **687**
—, and MCGOWAN, G. K.: Acid-base disturbances in hypercalcaemia (P), **476**
WILSON, M. A. *See* MORTON, R. E., GILLESPIE, E. H., and WILSON, M. A.
WITHYCOMBE, W. A. *See* EMERSON, P. M., WILKINSON, J. H., and WITHYCOMBE, W. A.
WONG, P. C., and CHAN-TEOH, C. H.: A report of three strains of *Pasteurella septica* isolated in Hong Kong, **107**
WOOTTON, I. D. P. *See* OSBORN, E. C., and WOOTTON, I. D. P.
WRIGHT, B. M.: A simple control system for CO_2 incubators, **100**
WRIGHT, H. P. *See* WAGATSUMA, T., and WRIGHT, H. P.
WRIGLEY, C. H., and HAWTHORNE, J.: Fluorescence microscopy applied to exfoliative cytology (P), **197**

d-Xylose absorption test, 5 g., **154**

YATES, P. O.: Tumours of the central nervous system in children, **418**
YATZIDIS, H., GARIDI, M., VASSILIKOS, C., MAYOPOULOU, D., and AKILAS, A.: An improved method for the simple and accurate colorimetric determination of urea with Ehrlich's reagent, **163**
YOUNG, D. P.-G. *See* EDWARD, N., YOUNG, D. P.-G., and MACLEOD, M.